

2003

Polypharmacy in Older Adults

University of Maine Center on Aging

Follow this and additional works at: https://digitalcommons.library.umaine.edu/moca_research



Part of the [Community-Based Learning Commons](#)

Repository Citation

University of Maine Center on Aging, "Polypharmacy in Older Adults" (2003). *Maine Center on Aging Research and Evaluation*. 9.
https://digitalcommons.library.umaine.edu/moca_research/9

This Other is brought to you for free and open access by DigitalCommons@UMaine. It has been accepted for inclusion in Maine Center on Aging Research and Evaluation by an authorized administrator of DigitalCommons@UMaine. For more information, please contact um.library.technical.services@maine.edu.

Polypharmacy in Older Adults



Defining Polypharmacy

- The ingestion of **four or more medications (including over the counter medications)**, specifically in an outpatient setting
- For institutionalized and hospitalized patients this definition can include up to **10 medications**

Statistics on Polypharmacy

- According to a report cited by the Department of Health and Human Services (1998), as many as 30% of older adults are taking 8 or more medications
- 80% of older adults ingest an average of 3 prescription medications on a daily basis
- 45% of older adults are taking at least one non-prescription medication on a daily basis
- 86% of medications taken by older adults are for a long-term health condition

Subgroups of Polypharmacy:

- **Appropriate polypharmacy**- appropriate multi-drug treatment
- **Inappropriate polypharmacy**- ingesting more drugs than necessary
- **Pseudopolypharmacy**- medication recording errors in facilities that falsely suggest polypharmacy is occurring

Polypharmacy has the potential to lead to drug misuse and abuse as well as many of the same side effects associated with Benzodiazepine misuse.



UMaine Center on Aging
Camden Hall
25 Texas Ave
Bangor, Maine 04401

