

2-16-1953

General Electric TV Spots, Bob Arnold Interviews J. R. Taylor

WLBZ Radio

Follow this and additional works at: https://digitalcommons.library.umaine.edu/wlbz_station_records



Part of the [History Commons](#), and the [Radio Commons](#)

Recommended Citation

WLBZ Radio, (February 16 1953) "General Electric TV Spots, Bob Arnold Interviews J. R. Taylor". *WLBZ Radio Station Records*. MS 608. D 16.20; CD 4, track 11. Special Collections, Raymond H. Fogler Library, University of Maine.
https://digitalcommons.library.umaine.edu/wlbz_station_records/76

This Book is brought to you for free and open access by DigitalCommons@UMaine. It has been accepted for inclusion in WLBZ Radio Station Records by an authorized administrator of DigitalCommons@UMaine. For more information, please contact um.library.technical.services@maine.edu.

University of Maine Raymond H. Fogler Library Special Collections Department

Transcript of a sound recording in MS 608, WLBZ Radio Station Records, Bangor, Maine, 1931-1973

Title: General Electric TV Spots, Bob Arnold Interviews Mr. J. R. Taylor

Date: February 16, 1953

Recording number: D 16.20; CD 4, track 11

Length of recording: 0:48

[transcript begins]

ARNOLD: Well, good evening, sir, my name's Bob Arnold. Can I have your name, please?

TAYLOR: Yeah, J. R. Taylor.

ARNOLD: Mr. Taylor, happy you could be here tonight. You can see that we're conducting a little experiment with these three nationally known television sets that incidentally are masked so that we can't tell what models they are. Now, Mr. Taylor, in your own words, could you tell me which one of those three sets that you prefer?

TAYLOR: Well, definitely, that's the one in the center there.

ARNOLD: The one in the center. Well, Mr. Taylor, that is a General Electric Ultra-Vision model. Could you tell me why you prefer that?

TAYLOR: Well, it's a much clearer picture to me, I think it is.

ARNOLD: That's right, that's right, Mr. Taylor. The General Electric Ultra-Vision model has blacker blacks and whiter whites because of the tinted safety glass there.

[transcript ends]

For more information about this transcript, audio recording, or other materials in Special Collections at the University of Maine, contact:

Fogler Special Collections
5729 Raymond H. Fogler Library
Orono, ME 04469-5729
207.581.1686
um.library.spc @ maine.edu